

# Oracle Cloud

## Sign Up

## Network Setup

1. 메뉴 → 네트워킹 → 개요
2. 인터넷 접속을 통한 VCN 생성; VCN 마법사 시작
  1. vcn 이름
  2. vcn cidr 블록; 10.0.0.0/16
  3. 공용 서브넷 cidr 블록; 10.0.0.0/24
  4. 전용 서버넷 cidr 블록; 10.0.1.0/24
  5. 생성
  6. 가상 클라우드 네트워크 보기
  7. 리소스 → 보안목록 → Default Security List for {VCN 이름}
    1. 수신규칙추가
      1. 소스유형; cidr
      2. 소스; 0.0.0.0/0
      3. IP프로토콜; TCP
      4. 대상 포트 범위; 80, 443
      5. 수신규칙추가

## Create SSH Key

```
$ ssh-keygen
$ pbcopy < ~/.ssh/id_rsa.pub
or
$ cat ~/.ssh/id_rsa.pub
```

```
$ vi ~/.ssh/config
Host {alias for connect}
HostName {ip address}
User {user for login}
IdentityFile ~/.ssh/id_rsa
```

In the Oracle Virtual Machine

```
$ vi ~/.ssh/authorized_key
{paste generated ssh key}
```

## VM 인스턴스 생성

1. 메뉴 → 컴퓨터 → 인스턴스

2. 인스턴스 생성
3. 배치 및 하드웨어 구성 → 편집
  1. 이미지 → 이미지 변경
    1. 플랫폼 이미지에서 운영체제 선택
    2. 이미지 선택
4. SSH 키 입력
5. 생성

## Connect Compute Instance to Network(VNIC)

1. 메뉴 → 네트워킹 → 개요
2. IP관리 → 예약된 공용 IP 주소
  1. 예약된 공용 IP 주소 이름;
  2. 예약된 공용 IP
3. 메뉴 → 컴퓨터 → 인스턴스
  1. 리소스 → 연결된 VNIC
    1. 리소스 → IP주소
      1. ... → 편집
        1. 공용 IP 유형; 공용 IP 없음
        2. 업데이트
      2. ... → 편집
        1. 공용 IP 유형; 예약된 공용 IP → 기존 예약된 IP 주소 선택;

## Server Settings

### timezone

```
$ sudo dpkg-reconfigure tzdata
```

### update and upgrade

```
$ sudo apt update
$ sudo apt upgrade
```

## Install for Web Server

### Apache

#### basic installation

```
$ sudo apt install apache2
$ sudo apt upgrade
```

```
$ sudo apache2ctl configtest
$ sudo vi /etc/apache2/apache2.conf
ServerName {IP or domain}
$ sudo systemctl restart apache2
```

## When connection refused

```
$ sudo iptables-save > ~/iptables-rules
$ sudo iptables -P INPUT ACCEPT
$ sudo iptables -P OUTPUT ACCEPT
$ sudo iptables -P FORWARD ACCEPT
$ sudo iptables -A INPUT -p tcp --dport 80 -j ACCEPT
$ sudo iptables -A INPUT -p tcp --dport 443 -j ACCEPT
$ sudo iptables -F # 재부팅 시 -F 옵션은 꺼진다.
# $ sudo iptables-save # 안되는 것 같다
$ sudo netfilter-persistent save # 이걸로 저장이 되는 것 같다. cf.) sudo
netfilter-persistent reload
$ sudo systemctl restart apache2
```

## apply HTTP/2 , HTTPS TLS v1.3

```
$ sudo add-apt-repository ppa:ondrej/apache2
$ sudo apt update
$ sudo apt upgrade
$ sudo apt install apache2 libapache2-mod-fcgid libapache2-mod-proxy-uwsgi
libapache2-mod-xforward openssl
```

## version check

```
$ /usr/sbin/apache2 -v or -V
$ /usr/bin/openssl version
```

## set virtual host

```
$ sudo vi /etc/apache2/sites-available
<VirtualHost *:80>
    ServerName      localhost
    DocumentRoot   /var/www/dokuwiki

    <Directory ~ "/var/www/dokuwiki/(bin/|conf/|data/|inc/)">
        <IfModule mod_authz_core.c>
            AllowOverride All
            Require all denied
        </IfModule>
        <IfModule !mod_authz_core.c>
```

```

          Order allow,deny
          Deny from all
      
```

```

      </IfModule>
    
```

```

  
```

```

  ErrorLog      /var/log/apache2/dokuwiki_error.log
  CustomLog     /var/log/apache2/dokuwiki_access.log combined

```

```

</VirtualHost>
$ sudo a2ensite dokuwiki
$ sudo systemctl restart apache2

```

## Nginx

### Update apt

```
# sudo apt update && sudo apt upgrade -y
```

### Install Nginx

```
# sudo apt install nginx
```

### Execute Nginx

```
# sudo systemctl start nginx
# sudo systemctl status nginx
```

### Troubleshootings on nginx

- Job for nginx.service failed because the control process exited with error code

```
# sudo systemctl status nginx.service
```

- stop apache2 when running

```
# sudo /etc/init.d/apache2 stop
```

```
# sudo fuser -k 80/tcp
```

- create .conf file: /etc/nginx/conf.d/xxx.xxx.xxx.conf

```

server
{
  #server_name example.com;
  root /var/www/dokuwiki;

```

```

index index.php;

location / { try_files $uri $uri/ @dokuwiki; }

location @dokuwiki
{
    rewrite ^/_media/(.*) /lib/exe/fetch.php?media=$1 last;
    rewrite ^/_detail/(.*) /lib/exe/detail.php?media=$1 last;
    rewrite ^/_export/([^/]+)/(.*) /doku.php?do=export_$1&id=$2 last;
    rewrite ^/(.*) /doku.php?id=$1$args last;
}

location ~ \.php$ {
    if (!-f $request_filename) { return 404; }
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
    fastcgi_param REDIRECT_STATUS 200;
    fastcgi_pass unix:/var/run/php/php7.4-fpm.sock;
}

location ~ /(conf|bin|inc|vendor)/ {
    deny all;
}

location ~ /data/
{
    internal;
}

#fastcgi_param HTTPS on;
}

```

**etc**

- version

```
# sudo dpkg -l nginx
# nginx -v
```

- /etc/nginx/

```
# sudo find / -name nginx.conf
```

- test

```
# netstat -lntp
```

- if netstat doesn't exist

```
# sudo apt install net-tools
```

- force ssl

```
# /etc/nginx/snippets/letsencrypt.conf

location ^~ /.well-known/acme-challenge/ {
    allow all;
    root /var/lib/letsencrypt/;
    default_type "text/plain";
    try_files $uri =404;
}
```

```
server {
    listen 80;
    server_name wiki.theta5912.com;
    #root /var/www/dokufiki;

    include snippets/letsencrypt.conf;
    return 301 https://$host$request_uri;
}

server {
#    listen 80;
    listen 443 ssl;
    listen [::]:443 ssl;

    server_name wiki.theta5912.com;
#    ssl on;

    ssl_certificate /etc/letsencrypt/live/wiki.theta5912.com/fullchain.pem;
    ssl_certificate_key
/etc/letsencrypt/live/wiki.theta5912.com/privkey.pem;

    root /var/www/dokufiki;
    index index.php index.html index.html;

    location / {
        try_files $uri $uri/ @dokufiki;
    }

    location @dokufiki {
        rewrite ^/_media/(.*) /lib/exe/fetch.php?media=$1 last;
        rewrite ^/_detail/(.*) /lib/exe/detail.php?media=$1 last;
        rewrite ^/_export/([^\/]+)/(.*) /doku.php?do=export_$1&id=$2 last;
        rewrite ^/(.*) /doku.php?id=$1$args last;
    }
}
```

```
location ~ \.php$ {  
    # Caution: be sure the php7.2-fpm.sock matches your version  
    include snippets/fastcgi-php.conf;  
    fastcgi_pass unix:/var/run/php/php7.4-fpm.sock;  
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;  
    include fastcgi_params;  
}  
  
location ~ /(data|conf|bin|inc|vender)/ {  
    deny all;  
}  
}
```

## <del>MySQL</del> mariaDB

### install

```
<del>$ sudo apt install mysql-server mysql-client</del>  
$ sudo apt install mariadb-server
```

### change login method to password(optional)

```
mysql> UPDATE mysql.user SET plugin='mysql_native_password',  
authentication_string=PASSWORD('{password}') WHERE User='root';  
mysql> commit;  
mysql> FLUSH PRIVILEGES;  
mysql> quit
```

### settings

```
$ sudo vi /etc/mysql/mysql.conf.d/mysqld.cnf  
$ sudo vi /etc/mysql/mariadb.conf.d/50-server.cnf  
  
bind-address = 0.0.0.0  
  
$ sudo systemctl restart mysql
```

### add user

```
$ sudo mysql  
  
mysql> use mysql;  
mysql> create user {id}@\'%' identified by '{password}';  
mysql> grant all privileges on *.* to '{id}'@\'%';
```

```
mysql> flush privileges;
```

## Php

```
$ sudo apt update  
$ sudo apt upgrade  
$ sudo apt install php php-gd php-xml php-json php7.4-sqlite3
```



2021년 1월 22일, 금요일 현재 dokuwiki는 php 8과 호환되지 않는 듯.

```
$ sudo add-apt-repository ppa:ondrej/php  
$ sudo apt update  
$ sudo apt upgrade  
$ sudo apt install php8.0-common php8.0-cli php8.0-fpm libapache2-mod-php8.0  
php8.0-{bcmath,bz2,cgi,cli,curl,dba,dev,enchant,fpm,gd,gmp,imap,interbase,intl,ldap  
,mbstring,mysql,odbc,opcache,pgsql,phpdbg,pspell,readline,snmp,soap,sqlite3,  
sybase,tidy,xml,xmllrpc,zip,,xsl} php-imagick
```

```
$ sudo vi /etc/php/{version}/fpm/php.ini  
date.timezone = Asia/Seoul  
cgi.fix_pathinfo=0  
session.cookie_httponly = 1  
session.cookie_secure = 1  
memory_limit = 256M  
post_max_size = 56M  
upload_max_filesize = 1024M  
max_file_uploads = 50  
zlib.output_compression = off  
max_execution_time = 180
```

```
opcache.memory_consumption = 128  
opcache.interned_strings_buffer = 8  
opcache.max_accelerated_files = 50000  
opcache.revalidate_freq = 60
```

```
opcache.enable_cli = 1  
opcache.enable = 1  
opcache.jit_buffer_size = 100M  
opcache.jit = tracing
```

```
$ sudo systemctl restart php7.4-fpm.service
```

```
$ sudo a2enmod proxy_fcgi setenvif  
$ sudo a2enconf php8.0-fpm
```

```
$ sudo systemctl restart apache2
$ sudo usermod -a -G www-data ubuntu
$ sudo a2enmod proxy_fcgi
$ sudo a2enmod setenvif
$ sudo a2enconf php7.4-fpm
$ sudo a2dismod php7.4
$ sudo a2dismod mpm_prefork
$ sudo a2dismod mpm_worker
$ sudo a2enmod mpm_event
$ sudo service php7.4-fpm status
$ sudo systemctl restart apache2

$ sudo apt update
$ sudo apt upgrade
$ sudo apt install php7.4-sqlite3
$ sudo systemctl restart apache2
```

## Let's Encrypt 클라이언트 Certbot 설치

```
$ sudo apt update
$ sudo apt upgrade
$ sudo apt install software-properties-common
$ sudo add-apt-repository universe
$ sudo apt update
$ sudo apt install certbot python3-certbot-apache

$ sudo certbot --apache
email;
ACME (A)gree/(C)ancel; A
receive email (Y)es/(N)o; N
Which names would you like to activate HTTPS for?;
1: No redirect, 2: Redirect; 2

if not appear domain name, try this
$ sudo certbot --apache -d "{domain address}"
1: Attempt to reinstall this existing certificate, 2: Renew & replace the
cert (limit ~5 per 7 days);
1: No redirect, 2: Redirect;
```

인증서 갱신이 정상인 확인

```
$ sudo certbot renew --dry-run
$ sudo systemctl restart apache2

$ certbot renew
```

```
$ sudo crontab -e
# renew cert; every month 1st day 4
0 4 1 * * /usr/bin/certbot renew --renew-hook="sudo systemctl restart
apache2"
```

```
$ sudo certbot delete --cert-name {cert name}
```

- 이미 등록한 체인에 도메인을 추가 또는 삭제

```
$ sudo certbot --cert-name {domain address} -d {domain address} -d {domain
address(sub)}...
```

## phpMyAdmin

```
$ sudo apt install phpmyadmin
$ sudo vi /etc/apache2/apache2.conf
Include /etc/phpmyadmin/apache.conf
$ sudo systemctl restart apache2

$ sudo apt install php-mbstring php7.4-mbstring php7.4-gettext php7.4-
mysqlnd
$ sudo systemctl restart apache2
```

## Web Server Settings

### migrate

### dokewiki

### wordpress

### dns settings

### set multi domain

### ssl setting

```
$ sudo vi /etc/apache2/sites-available/000-default.conf
```

```
<VirtualHost *:80>
...
...
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{HTTPS} off
    RewriteRule .* __ BROKEN-
LINK:https:// %{SERVER_NAME}%{REQUEST_URI}LINK-BROKEN__ [R,L]
</IfModule>
</VirtualHost>
```

## automations

### ssl update

### db backups

### wiki backups

## References

- 2. 오라클 클라우드에서 우분투 LEMP - 인스턴스 서버 생성하기 (네트워크 셋팅을 포함)
- macOS: 맥에서 SSH 키 생성하고 사용하기
- 오라클 프리티어 계정 생성 및 인스턴스 생성하기
- BROKEN-LINK:Connect to Oracle Cloud with SSH and VNCLINK-BROKEN
- Oracle Cloud SSH Key 여러 개 등록하기 (여러 PC에서 Cloud Access)
- 오라클 클라우드 VM 인스턴스 2개 생성할 때 깔끔하게 구조화하는 방법
- 오라클 클라우드 방화벽 설정에 대한 모든 것
- 우분투(Ubuntu) APM - Apache PHP Mysql 구성 및 설정
- 우분투(Ubuntu) 18.04 서버 초기 설정
- PHP 25년 역사의 새장을 여는 PHP 8 설치 방법 – 우분투 및 데비안 기준
- How to Install PHP 8.0 on Ubuntu 20.04 / 18.04
- Ubuntu 18.04 / phpMyAdmin 설치하는 방법
- [Ubuntu] 쉽게 따라할 수 있는 Apache2, Mysql, PHP 설치 하기
- [MySQL] 사용자 추가 및 권한 설정
- 리눅스 Apache HTTP를 강제로 HTTPS로 바꿔 연결하는 방법
- 아파치 - 우분투 리눅스에 PHP-FPM 설치
- 우분투 방화벽 강화를 위한 우분투 IPtables 설정법 – DDoS 방어 포함

From:  
<https://www.theta5912.net/> - reth

Permanent link:  
[https://www.theta5912.net/doku.php?id=public:computer:oracle\\_cloud](https://www.theta5912.net/doku.php?id=public:computer:oracle_cloud)

Last update: 2022/04/01 11:04



