

[dokuwiki](#), [plugins](#), [bootstrap wrapper](#)

Original Site

- <https://www.dokuwiki.org/plugin:bootswrapper>
- <http://www.lotar.altervista.org/wiki/wiki/plugin/bootswrapper>

Macros

Accordion

Collapsible Group Item #1

Anim pariaturne cliche reprehenderit, enim eiusmod high life accusamus terry richardson ad squid. 3 wolf moon officia aute, non cupidatat skateboard dolor brunch. Food truck quinoa nesciunt laborum eiusmod. Brunch 3 wolf moon tempor, sunt aliqua put a bird on it squid single-origin coffee nulla assumenda shoreditch et. Nihil anim keffiyeh helvetica, craft beer labore wes anderson cred nesciunt sapiente ea proident. Ad vegan excepteur butcher vice lomo. Leggings occaecat craft beer farm-to-table, raw denim aesthetic synth nesciunt you probably haven't heard of them accusamus labore sustainable VHS.

Collapsible Group Item #2

[...] </panel> <panel title="Collapsible Group Item #3"> [...] </panel> </accordion>

Affix

Affix

Scroll the page!

Alerts

...
 ...
 ...
 ...
 × **Warning!** Better check yourself, you're not looking too good.
 × **Warning!** Better check yourself, you're not looking too good.

Badges

Inbox <badge>42</badge>

Messages <badge>4</badge>

Buttons

Default Primary Success Info Warning Danger Link

welcome

Large button Large button

Default button Default button

Small button Small button

Extra small button Extra small button

Block level button Block level button

button <btn type="default">panel</btn> button <btn type="default" disabled="true">panel</btn>

Callouts

Default Callout

This is a default callout.

Default Callout

This is a default callout.

```
[...] </callout> <callout type="success" icon="true"> [...] </callout> <callout type="info" icon="true"> [...] </callout> <callout type="warning" icon="true"> [...] </callout> <callout type="danger" icon="true"> [...] </callout>
```

```
<callout icon="fa fa-user"> [...] </callout> <callout type="success" icon="fa fa-plus"> [...] </callout>
```

```
<callout icon="fa fa-user" color="blue" title="Custom color + icon"> [...] </callout>
```

Carousel

⏪ ⏩ ⏹

Previous Next

⏪ ⏩ ⏹

Previous Next



First slide label

Nulla vitae elit libero, a pharetra augue mollis interdum.

[...]

[Previous](#) [Next](#)

Collapse

Click Me

Anim pariatur cliche reprehenderit, enim eiusmod high life accusamus terry richardson ad squid. Nihil anim keffiyeh helvetica, craft beer labore wes anderson cred nesciunt sapiente ea proident.

Grids

.col-sm-6
.col-sm-6
.col-xs-12 .col-sm-6 .col-lg-8
.col-xs-6 .col-lg-4

Image



Jumbotron

Hello, world!

This is a simple hero unit, a simple jumbotron-style component for calling extra attention to featured content or information.

[Learn more](#)

Labels

default primary success info warning danger

Lead

Vivamus sagittis lacus vel augue laoreet rutrum faucibus dolor auctor. Duis mollis, est non

commodo luctus.

List Group

- Cras justo odio
- Dapibus ac facilisis in
- Morbi leo risus
- Porta ac consectetur ac
- Vestibulum at eros

- Cras justo odio 14
- Dapibus ac facilisis in 2
- Morbi leo risus 1

- .
- [welcome](#)
- [syntax](#)

- .
Bootstrap samples
- [welcome](#)
DokuWiki Welcome
- [syntax](#)
DokuWiki Syntax

- home [Home-Page](#)

Modal

Launch demo modal

×

Modal title

Text in a modal

Duis mollis, est non commodo luctus, nisi erat porttitor ligula. [...]

Large modal <btn type="primary" modal="modal-small">Small modal</btn>

×

Large modal

...

×

Small modal

...

No fade animation

×

No fade animation

...

Welcome to DokuWiki!

×

Navs (Tabs & Pills)

- [start](#)
- [Nav Plugin](#)
- [playground](#)
- DokuWiki
 - [welcome](#)
 - [syntax](#)

- [start](#)
- [Nav Plugin](#)
- [playground](#)
- DokuWiki
 - [welcome](#)
 - [syntax](#)

- [start](#)
- [Nav Plugin](#)
- [playground](#)
- DokuWiki
 - [welcome](#)
 - [syntax](#)

- [start](#)
- [Nav Plugin](#)
- [playground](#)
- DokuWiki
 - [welcome](#)
 - [syntax](#)

- [start](#)
- [Nav Plugin](#)
- [playground](#)
- DokuWiki
 - [welcome](#)
 - [syntax](#)

- home DokuWiki
 - [welcome](#)
 - [syntax](#)

- File
 - file-o [New](#)
 - folder-open [Open](#)
 - print [Print](#)
 - close [Close](#)
- ?
 - info [About...](#)

- [Foo](#)
- [Bar](#)


Foo

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodi consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Bar

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodi consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Formatting Syntax

 [DokuWiki](#) supports some simple markup language, which tries to make the datafiles to be as readable as possible. This page contains all possible syntax you may use when editing the pages. Simply have a look at the source of this page by pressing "Edit this page". If you want to try something, just use the `[[playground:playground|playground]]` page. The simpler markup is easily accessible via `[[doku>toolbar|quickbuttons]]`, too.

Basic Text Formatting

DokuWiki supports **bold**, *italic*, underlined and monospaced texts. Of course you can ***combine* all these. DokuWiki supports bold, *italic*, underlined and monospaced texts. Of course you can combine all these. You can use _{subscript} and ^{superscript}, too. You can use _{subscript} and ^{superscript}, too. You can mark something as ~~deleted~~ as well. You can mark something as ~~deleted~~ as well. Paragraphs are created from blank lines. If you want to force a newline without a paragraph, you can use two backslashes followed by a whitespace or the end of line. This is some text with some linebreaks
**Note that the two backslashes are only recognized at the end of a line or followed by a whitespace \\this happens without it. This is \\some text with some linebreaks
 Note that the two backslashes are only recognized at the end of a line or followed by a whitespace \\this happens without it. You should use forced newlines only if really needed. ===== Links ===== DokuWiki supports multiple ways of creating links.
 ===== External ===== External links are recognized automatically:****

<http://www.google.com> or simply www.google.com - You can set the link text as well: [This Link points to google](#). Email addresses like this one: andi@splitbrain.org are recognized, too. DokuWiki supports multiple ways of creating links. External links are recognized automagically: <http://www.google.com> or simply www.google.com - You can set link text as well: [This Link points to google](#). Email addresses like this one: andi@splitbrain.org are recognized, too. ===== Internal ===== Internal links are created by using square brackets. You can either just give a [pagename](#) or use an additional [link text](#). Internal links are created by using square brackets. You can either just give a [pagename](#) or use an additional [link text](#). Wiki [pagenames](#) are converted to lowercase automatically, special characters are not allowed. You can use [namespaces](#) by using a colon in the pagename. You can use [namespaces](#) by using a colon in the pagename. For details about namespaces see [namespaces](#). Linking to a specific section is possible, too. Just add the section name behind a hash character as known from HTML. This links to [this Section](#). This links to [this Section](#). Notes: * Links to [existing pages](#) are shown in a different style from [nonexisting](#) ones. * DokuWiki does not use [CamelCase](#) to automatically create links by default, but this behavior can be enabled in the [config](#) file. Hint: If DokuWiki is a link, then it's enabled. * When a section's heading is changed, its bookmark changes, too. So don't rely on section linking too much. ===== Interwiki ===== DokuWiki supports [Interwiki](#) links. These are quick links to other Wikis. For example this is a link to Wikipedia's page about Wikis: [Wiki](#). DokuWiki supports [Interwiki](#) links. These are quick links to other Wikis. For example this is a link to Wikipedia's page about Wikis: [Wiki](#). ===== Windows Shares ===== Windows shares like [this](#) are recognized, too. Please note that these only make sense in a homogeneous user group like a corporate [Intranet](#). Windows Shares like [this](#) are recognized, too. Notes: * For security reasons direct browsing of windows shares only works in Microsoft Internet Explorer per default (and only in the "local zone"). * For Mozilla and Firefox it can be enabled through different workaround mentioned in the [Mozilla Knowledge Base](#). However, there will still be a JavaScript warning about trying to open a Windows Share. To remove this warning (for all users), put the following line in `conf/lang/en/lang.php` (more details at [localization](#)): `<code> - conf/lang/en/lang.php <?php / * Customization of the english language file * Copy only the strings that needs to be modified */ $lang['js']['nosmblinks'] = ''; </code>`

Image Links

You can also use an image to link to another internal or external page by combining the syntax for links and `[[#images_and_other_files|images]]` (see below) like this:

```
[[http://php.net|{{wiki:dokuwiki-128.png}}]]
```



Please note: The image formatting is the only formatting syntax accepted in link names.

The whole `[[#images_and_other_files|image]]` and `[[#links|link]]` syntax is supported (including


image resizing, internal and external images and URLs and interwiki links).



Footnotes

You can add footnotes ((This is a footnote)) by using double parentheses.



You can add footnotes ((This is a footnote)) by using double parentheses.



Sectioning

You can use up to five different levels of headlines to structure your content. If you have more than three headlines, a table of contents is generated automatically -- this can be disabled by including the string `~~~NOTOC~~~` in the document. `====` Headline Level 3 `====` `===` Headline Level 4 `===` `==` Headline Level 5 `==` `====` Headline Level 3 `====` `===` Headline Level 4 `===` `==` Headline Level 5 `==` By using four or more dashes, you can make a horizontal line: `--` `=====` Media Files `=====` You can include external and internal  images, videos and audio files with curly brackets. Optionally you can specify the size of them. Real


size:  Resize to given width:  Resize to given


width and height¹⁾:  Resized external image:

 Real size:  Resize to given

width:  Resize to given width and height: 

Resized external image:  By using left or right whitespaces you can choose the alignment.



 



Of course, you can add a title (displayed as a tooltip by most browsers), too.



For linking an image to another page see [Image Links](#) above. ===== Supported Media Formats ===== DokuWiki can embed the following media formats directly. | Image | gif, jpg, png | | Video | webm, ogv, mp4 | | Audio | ogg, mp3, wav | | Flash | swf | If you specify a filename that is not a supported media format, then it will be displayed as a link instead. By adding ?linkonly you provide a link to the media without displaying it inline [dokuwiki-128.png](#) [dokuwiki-128.png](#) This is just a link to the image. ===== Fallback Formats ===== Unfortunately not all browsers understand all video and audio formats. To mitigate the problem, you can upload your file in different formats for maximum browser compatibility. For example consider this embedded mp4 video: When you upload a video.webm and video.ogv next to the referenced video.mp4, DokuWiki will automatically add them as alternatives so that one of the three files is understood by your browser. Additionally DokuWiki supports a "poster" image which will be shown before the video has started. That image needs to have the same filename as the video and be either a jpg or png file. In the example above a video.jpg file would work. ===== Lists ===== Dokuwiki supports ordered and unordered lists. To create a list item, indent your text by two spaces and use a * for unordered lists or a - for ordered ones. * This is a list * The second item * You may have different levels * Another item - The same list but ordered - Another item - Just use indentation for deeper levels - That's it `* This is a list * The second item * You may have different levels * Another`



item - The same list but ordered - Another item - Just use indention for deeper levels - That's it </code> Also take a look at the [FAQ on list items](#). ===== Text Conversions ===== DokuWiki can convert certain pre-defined characters or strings into images or other text or HTML. The text to image conversion is mainly done for smileys. And the text to HTML conversion is used for typography replacements, but can be configured to use other HTML as well. ===== Text to Image Conversions ===== DokuWiki converts commonly used [Wemoticons](#) to their graphical equivalents. Those [Smileys](#) and other images can be configured and extended. Here is an overview of Smileys included in DokuWiki: * 😊 8-) * 😊 8-0 * 😊 :- (* 😊 :-) * 😊 =) * 😊 :- / * 😊 :- \ * 😊 :- ? * 😊 :- D * 😊 :- P * 😊 :- 0 * 😊 :- X * 😊 :- | * 😊 :- ;) * 😊 ^ ^ * ? : ? : * ! : ! : * 😊 LOL *  FIXME *  DELETEME ===== Text to HTML

Conversions ===== Typography: [DokuWiki](#) can convert simple text characters to their typographically correct entities. Here is an example of recognized characters. → ← ↔ ⇒ ⇐ ⇨ » « – — 640×480 © ™ ® “He thought 'It's a man's world'...” <code> → ← ↔ ⇒ ⇐ ⇨ » « – — 640×480 © ™ ® “He thought 'It's a man's world'...” </code> The same can be done to produce any kind of HTML, it just needs to be added to the [pattern file](#). There are three exceptions which do not come from that pattern file: multiplication entity (640×480), 'single' and “double quotes”.

They can be turned off through a [config option](#). ===== Quoting ===== Some times you want to mark some text to show it's a reply or comment. You can use the following syntax: <code> I think we should do it > No we shouldn't » Well, I say we should > Really? » Yes! »> Then lets do it! </code> I think we should do it > No we shouldn't » Well, I say we should > Really? » Yes! »> Then lets do it! ===== Tables =====


DokuWiki supports a simple syntax to create tables. ^ Heading 1 ^ Heading 2 ^ Heading 3 ^ | Row 1 Col 1 | Row 1 Col 2 | Row 1 Col 3 | | Row 2 Col 1 | some colspan (note the double pipe) || | Row 3 Col 1 | Row 3 Col 2 | Row 3 Col 3 | Table rows have to start and end with a | for normal rows or a ^ for headers. ^ Heading 1 ^ Heading 2 ^ Heading 3 ^ | Row 1 Col 1 | Row 1 Col 2 | Row 1 Col 3 | | Row 2 Col 1 | some colspan (note the double pipe) || | Row 3 Col 1 | Row 3 Col 2 | Row 3 Col 3 | To connect cells horizontally, just make the next cell completely empty as shown above. Be sure to have always the same amount of cell separators! Vertical tableheaders are possible, too. | ^ Heading 1 ^ Heading 2 ^ ^ Heading 3 | Row 1 Col 2 | Row 1 Col 3 | ^ Heading 4 | no colspan this time | | ^ Heading 5 | Row 2 Col 2 | Row 2 Col 3 | As you can see, it's the cell separator before a cell which decides about the formatting: | ^ Heading 1 ^ Heading 2 ^ ^ Heading 3 | Row 1 Col 2 | Row 1 Col 3 | ^ Heading 4 | no colspan this time | | ^ Heading 5 | Row 2 Col 2 | Row 2 Col 3 | You can have rowspans (vertically connected cells) by adding ::: into the cells below the one to which they should connect. ^ Heading 1 ^ Heading 2 ^ Heading 3 ^ | Row 1 Col 1 | this cell spans vertically | Row 1 Col 3 | | Row 2 Col 1 | ::: | Row 2 Col 3 | | Row 3 Col 1 | ::: | Row 2 Col 3 | Apart from the rowspan syntax those cells should not contain anything else. ^ Heading 1 ^ Heading 2 ^ Heading 3 ^ | Row 1 Col 1 | this cell spans vertically | Row 1 Col 3 | | Row 2 Col 1 | ::: | Row 2 Col 3 | | Row 3 Col 1 | ::: | Row 2 Col 3 | You can align the table contents, too. Just add at least two whitespaces at the opposite

end of your text: Add two spaces on the left to align right, two spaces on the right to align left and two spaces at least at both ends for centered text. ^ Table with alignment ^^^ | right| center |left | |left | right| center | | xxxxxxxxxxxx | xxxxxxxxxxxx | xxxxxxxxxxxx | This is how it looks in the source: ^ Table with alignment ^^^ | right| center |left | |left | right| center | | xxxxxxxxxxxx | xxxxxxxxxxxx | xxxxxxxxxxxx | Note: Vertical alignment is not supported. ===== No Formatting ===== If you need to display text exactly like it is typed (without any formatting), enclose the area either with <nowiki> tags or even simpler, with double percent signs %%. This is some text which contains addresses like this: http://www.splitbrain.org and ****formatting****, but nothing is done with it. The same is true for `//__this__ text//` with a smiley ;-). This is some text which contains addresses like this: http://www.splitbrain.org and ****formatting****, but nothing is done with it. The same is true for `//__this__ text//` with a smiley ;-). ===== Code Blocks ===== You can include code blocks into your documents by either indenting them by at least two spaces (like used for the previous examples) or by using the tags <code> or <file>. This is text is indented by two spaces. <code> This is preformatted code all spaces are preserved: like <code>←this </code> <file> This is pretty much the same, but you could use it to show that you quoted a file. </file> Those blocks were created by this source: This is text is indented by two spaces. <code> This is preformatted code all spaces are preserved: like <code>←this </code> <file> This is pretty much the same, but you could use it to show that you quoted a file. </file> ===== Syntax Highlighting ===== [DokuWiki](#) can highlight sourcecode, which makes it easier to read. It uses the [GeSHi](#) Generic Syntax Highlighter – so any language supported by GeSHi is supported. The syntax uses the same code and file blocks described in the previous section, but this time the name of the language syntax to be highlighted is included inside the tag, e.g. <codejava> or <filejava>. <code java> / * **The HelloWorldApp class implements an application that * simply displays “Hello World!” to the standard output. */ class HelloWorldApp { public static void main(String[] args) { System.out.println(“Hello World!”); *Display the string.* } } </code> *The following language strings are currently recognized:* 4cs 6502acme 6502kickass 6502tasm 68000devpac abap actionscript3 actionscript ada aimms algol68 apache applescript apt_sources arm asm asp asymptote autoconf autohotkey autoit avisynth awk bascomavr bash basic4gl batch bf biblatex bibtex blitzbasic bnf boo caddcl cadlisp ceylon cfdg cfm chaiscript chapel cil c_loadrunner clojure c_mac cmake cobol coffeescript c cpp cpp-qt cpp-winapi csharp css cuesheet c_winapi dart dcl dcpu16 dcs delphi diff div dos dot d_ecmascript eiffel email epc e erlang euphoria ezt f1 falcon fo fortran freebasic freeswitch fsharp gambas gdb genero genie gettext glsl gml gnuplot go groovy gwbasic haskell haxe higest hq9plus html html4strict html5 icon idl ini inno intercal io ispfpanel java5 java javascript jcl j jquery julia kixtart klonex klonexcpp kotlin latex lb ldif lisp llvm locobasic logtalk lolcode lotusformulas lotusscript lscript lsl2 lua m68k magiksf make mapbasic mathematica matlab mercury metapost mirc mk-61 mmix modula2 modula3 mpasm mxml mysql nagios netrexx newlisp nginx nimrod nsis oberon2 objc object ocaml-brief ocaml octave oobas**

oorexx oracle11 oracle8 oxygene oz parasail parigp pascal pcre perl6
 perl per pf phix php-brief php pic16 pike pixelbender pli plsqli
 postgresql postscript povray powerbuilder powershell proftpd progress
 prolog properties providex purebasic pycon pys60 python qbasic qml q
 racket rails rbs rebol reg rexx robots roff rpmspec rsplus ruby rust
 sas sass scala scheme scilab scl sdlbasic smalltalk smarty spark sparqli
 sql sshconfig standardml stonscript swift systemverilog tclegg tcl
 teraterm texgraph text thinbasic tsql twig typoscript unicon upc urbi
 uscript vala vbnet vb vbscript vedit verilog vhdl vim visualfoxpro
 visualprolog whitespace whois winbatch wolfram xbasic xml xoyo
 xorg_conf xpp yaml z80 zxbasic There are additional  **advanced options**
 available for syntax highlighting, such as highlighting lines or adding
 line numbers. ===== Downloadable Code Blocks ===== When you use the
 <code> or <file> syntax as above, you might want to make the shown code
 available for download as well. You can do this by specifying a file
 name after language code like this: <code> <file php myexample.php>
 <?php echo "hello world!"; ?> </file> </code> <file php myexample.php>
 <?php echo "hello world!"; ?> </file> If you don't want any
 highlighting but want a downloadable file, specify a dash (-) as the
 language code: <code - myfile.foo>. ===== Embedding HTML and PHP =====
 You can embed raw HTML or PHP code into your documents by using the
 <html> or <php> tags. (Use uppercase tags if you need to enclose block
 level elements.) HTML example: <code> <html> This is some inline HTML
 </html> <HTML> <p style="border:2px dashed red;">And this is some block
 HTML</p> </HTML> </code> <html> This is some inline HTML </html> <HTML>
 <p style="border:2px dashed red;">And this is some block HTML</p>
 </HTML> PHP example: <code> <php> echo 'The PHP version: '; echo
 phpversion(); echo ' (generated inline HTML)'; </php> <PHP> echo
 '<table class="inline"><tr><td>The same, but inside a block level
 element:</td>'; echo '<td>'.phpversion().</td>'; echo '</tr></table>';
 </PHP> </code> <php> echo 'The PHP version: '; echo phpversion(); echo
 ' (inline HTML)'; </php> <PHP> echo '<table class="inline"><tr><td>The
 same, but inside a block level element:</td>'; echo
 '<td>'.phpversion().</td>'; echo '</tr></table>'; </PHP> Please Note:
 HTML and PHP embedding is disabled by default in the configuration. If
 disabled, the code is displayed instead of executed. ===== RSS/ATOM
 Feed Aggregation ===== [DokuWiki](#) can integrate data from external XML
 feeds. For parsing the XML feeds, [SimplePie](#) is used. All formats
 understood by SimplePie can be used in DokuWiki as well. You can
 influence the rendering by multiple additional space separated
 parameters: ^ Parameter ^ Description ^ | any number | will be used as
 maximum number items to show, defaults to 8 | | reverse | display the
 last items in the feed first | | author | show item authors names | |
 date | show item dates | | description | show the item description. If 
[HTML](#) is disabled all tags will be stripped | | nosort | do not sort the
 items in the feed | | n[dhm] | refresh period, where d=days, h=hours,
 m=minutes. (e.g. 12h = 12 hours). | The refresh period defaults to 4
 hours. Any value below 10 minutes will be treated as 10 minutes.
[DokuWiki](#) will generally try to supply a cached version of a page,
 obviously this is inappropriate when the page contains dynamic external
 content. The parameter tells [DokuWiki](#) to re-render the page if it is

more than refresh period since the page was last rendered. By default the feed will be sorted by date, newest items first. You can sort it by oldest first using the reverse parameter, or display the feed as is with nosort. Example:

- [Vladimir Putin Says He Accepts Crypto as a Legitimate Currency For Making Payments](#) by msmash (2021/10/15 00:22)
- [Microsoft Shutting Down LinkedIn In China](#) by msmash (2021/10/14 23:40)
- [Amazon Puts Its Own 'Brands' First](#) by msmash (2021/10/14 23:00)
- [Amazon, Facebook Among Companies Facing FTC Warning Over Reviews](#) by BeauHD (2021/10/14 22:00)
- [The Mega65: A Modernization of the Canceled Commodore 65 Computer From 1991](#) by BeauHD (2021/10/14 19:00)
- [Vladimir Putin Says He Accepts Crypto as a Legitimate Currency For Making Payments](#) by msmash (2021/10/15 00:22)
- [Microsoft Shutting Down LinkedIn In China](#) by msmash (2021/10/14 23:40)
- [Amazon Puts Its Own 'Brands' First](#) by msmash (2021/10/14 23:00)
- [Amazon, Facebook Among Companies Facing FTC Warning Over Reviews](#) by BeauHD (2021/10/14 22:00)
- [The Mega65: A Modernization of the Canceled Commodore 65 Computer From 1991](#) by BeauHD (2021/10/14 19:00)

==== Control Macros ==== Some syntax influences how DokuWiki renders a page without creating any output it self. The following control macros are available: ^ Macro ^ Description | | ~NOTOC~ | If this macro is found on the page, no table of contents will be created | | ~NOCACHE~ | DokuWiki caches all output by default. Sometimes this might not be wanted (eg. when the <php> syntax above is used), adding this macro will force DokuWiki to re-render a page on every call | ==== Syntax Plugins ==== DokuWiki's syntax can be extended by  Plugins. How the installed plugins are used is described on their appropriate description pages. The following syntax plugins are available in this particular DokuWiki installation:

- [Add New Page 2015-11-02](#) by Benjamin Santalucia, Sam Wilson, Michael Braun, Gerrit Uitslag, Albert Chern
Adds a "new page form" to any wiki page.
- [Bootstrap Wrapper Plugin 2020-09-03](#) by Giuseppe Di Terlizzi
Bootstrap Wrapper for DokuWiki
- [catlist plugin 2021-07-21](#) by Félix Faisant
List pages and namespaces recursively
- [Changes Plugin 2021-01-25](#) by Andreas Gohr
List the most recent changes of the wiki
- [Command Line Interface \(CLI\) Plugin 2020-08-18](#) by Schplurtz le Déboulonné
Renders transcripts of command line interactions, e.g. for shell and dynamic language interpreter tutorials
- [cssperpage 2018-09-15](#) by Myron Turner
enables per page styling
- [DataTables Plugin 2020-06-14](#) by Giuseppe Di Terlizzi
Add DataTables support to DokuWiki
- [do plugin 2021-03-16](#) by Andreas Gohr
Assign tasks within the wiki
- [Dw2Pdf plugin 2021-07-22](#) by Andreas Gohr and Luigi Micco

- DokuWiki to PDF converter
- [Gallery Plugin](#) 2021-09-11 by [Andreas Gohr](#)
Creates a gallery of images from a namespace or RSS/ATOM feed
 - [include plugin](#) 2021-07-05 by [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
Functions to include another page in a wiki page
 - [Info Plugin](#) 2020-06-04 by [Andreas Gohr](#)
Displays information about various DokuWiki internals
 - [MathJax plugin](#) 2021-05-23 by [Mark Liffiton](#)
Enables MathJax (<https://www.mathjax.org/>) parsing of TeX math expressions in wiki pages
 - [MediaList Plugin](#) 2016-08-24 by [Satoshi Sahara](#)
show a list of media files referred in a given page or stored in a given namespace.
 - [OpenAs Plugin](#) 2021-02-16 by [Myron Turner](#)
File utility for renaming and saving-as, and creating new pages from templates
 - [Pagelist Plugin](#) 2020-09-27 by [Matthias Schulte](#), [Michael Hamann](#), [Michael Klier](#), [Gina Häussge](#)
Lists pages in a nice formatted way
 - [PDF.js](#) 2020-06-29 by [Szymon Olewniczak](#)
Show pdf files using PDF.js
 - by
 - [SyntaxHighlighter4 Plugin](#) 2020-05-13 by [CrazyMax](#)
Alternative to GeSHi server-side code highlighting with client-side SyntaxHighlighter 4 by Alex Gorbachev
 - [Tag Plugin](#) 2020-12-02 by [Michael Hamann](#), [Gina Häussge](#), [Christopher Smith](#), [Michael Klier](#), [Esther Brunner](#)
tag wiki pages
 - [Translation Plugin](#) 2021-08-23 by [Andreas Gohr](#)
Supports the easy setup of a multi-language wiki.
 - [Typography plugin](#) 2020-07-31 by [Satoshi Sahara](#)
Enable typesetting capabilities with CSS font properties such as font face, size, weight, and color of text
 - [Video Sharing Site Plugin](#) 2021-06-25 by [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`
 - [Wrap Plugin](#) 2018-04-22 by [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.

2018/02/14 19:17

Page header

Example page header

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodi consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Panels

Basic panel example

Panel title

Panel content

Panel title

Panel subtitle

Panel content

Panel title

Panel content

Panel title

Panel content

Panel title

Panel content

Panel title

Panel content

Panel title

Panel content

Panel title

Some default panel content here. Nulla vitae elit libero, a pharetra augue. Aenean lacinia bibendum nulla sed consectetur. Aenean eu leo quam. Pellentesque ornare sem lacinia quam venenatis vestibulum. Nullam id dolor id nibh ultricies vehicula ut id elit.

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

Panel title

#	First Name	Last Name	Username
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

Panel title

Some default panel content here. Nulla vitae elit libero, a pharetra augue. Aenean lacinia bibendum nulla sed consectetur. Aenean eu leo quam. Pellentesque ornare sem lacinia quam

venenatis vestibulum. Nullam id dolor id nibh ultricies vehicula ut id elit.

- Cras justo odio
- Dapibus ac facilisis in
- Morbi leo risus
- Porta ac consectetur ac
- Vestibulum at eros

Panel title

Panel subtitle

Panel content

Popovers

Click to toggle popover

Popover on right

Popover on top

Popover on bottom

Popover on left

Dismissible popover

Dismissible Popover

Progress Bar

60%

60%

40%

20%

60%

80%

40%

20%

60%

80%

45%

35%

20%

10%

Text

Left aligned text.

Center aligned text.

Right aligned text.

Justified text.

No wrap text.

Lowercased text. Uppercased text. Capitalized text.

[...] </text> <text type="primary"> [...] </text> <text type="success"> [...] </text> <text type="info"> [...] </text> <text type="warning"> [...] </text> <text type="danger"> [...] </text>

<text background="primary"> [...] </text> <text background="success"> [...] </text> <text background="info"> [...] </text> <text background="warning"> [...] </text> <text background="danger"> [...] </text>

Thumbnails

...



...

...



DokuWiki

DokuWiki is a simple to use and highly versatile Open Source wiki software that doesn't require a database. It is loved by users for its clean and readable syntax. The ease of maintenance, backup and integration makes it an administrator's favorite. Built in access controls and authentication connectors make DokuWiki especially useful in the enterprise context and the large number of plugins contributed by its vibrant community allow for a broad range of use cases beyond a traditional wiki.

...

Tooltips

.....
Lorem ipsum dolor sit amet...

Wells

Look, I'm in a well!

Look, I'm in a small well!

Look, I'm in a large well!

¹⁾

when the aspect ratio of the given width and height doesn't match that of the image, it will be cropped to the new ratio before resizing

From:

<https://theta5912.net/> - **reth**

Permanent link:

https://theta5912.net/doku.php?id=wiki:plugins:bootstrap_wrapper

Last update: **2021/01/20 17:48**

